

Table 4F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky

Page: 1
Run Date: 7 / 30 / 07

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
3 Rivers	1,708	87.2	1.2	10.1	0.0	0.0	1.5	0.0
Allen	682	94.9	2.1	1.6	0.0	0.4	1.0	0.0
Anderson	466	80.3	3.2	13.5	0.0	0.6	2.4	0.0
Barren Riv	7,540	79.1	8.8	9.1	0.1	1.9	1.0	0.0
Bourbon	571	75.1	7.4	17.2	0.2	0.2	0.0	0.0
Boyd	1,521	92.4	2.6	2.0	0.1	0.3	2.4	0.0
Boyle	750	87.9	8.1	3.9	0.0	0.1	0.0	0.0
Bracken	296	96.3	0.0	1.7	0.0	0.3	1.7	0.0
Breathitt	718	98.2	0.4	0.7	0.0	0.4	0.3	0.0
Breckinrid	622	94.5	4.2	0.6	0.0	0.2	0.5	0.0
Buffalo Tr	757	85.7	6.7	3.6	0.3	1.5	2.2	0.0
Bullitt	1,416	96.0	0.7	1.4	0.0	0.4	1.6	0.0
C & Y	1,404	2.8	94.4	1.3	0.3	1.1	0.0	0.0
Christian	4,631	64.0	25.7	5.1	0.2	2.9	2.1	0.0
Clark	1,047	86.3	7.2	5.6	0.2	0.6	0.1	0.0
Cumb Val	5,887	96.9	1.4	1.2	0.0	0.1	0.4	0.0
Estill	656	99.2	0.3	0.5	0.0	0.0	0.0	0.0
Fayette	6,463	38.4	27.6	29.7	0.3	1.9	2.0	0.0
Fleming	594	97.6	1.2	0.8	0.0	0.3	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 7 / 30 / 07

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Floyd	1,988	98.8	0.4	0.5	0.0	0.1	0.3	0.0
Franklin	1,248	75.0	14.3	8.7	0.1	1.4	0.6	0.0
Garrard	629	90.0	2.2	4.1	0.2	0.3	3.2	0.0
Gateway	2,228	97.2	1.0	1.0	0.0	0.3	0.4	0.0
Green Riv	7,149	83.3	7.6	6.3	0.0	0.6	2.1	0.0
Greenup	1,072	97.8	0.4	0.8	0.0	0.4	0.7	0.0
Hopkins	1,639	78.9	9.3	4.3	0.0	0.6	6.8	0.0
Jefferson	14,513	51.6	34.8	9.5	0.1	2.1	1.8	0.0
Jessamine	1,448	87.5	4.6	6.0	0.0	1.2	0.8	0.0
Johnson	1,083	99.2	0.1	0.1	0.0	0.3	0.4	0.0
Knox	1,596	98.6	1.0	0.4	0.0	0.0	0.0	0.0
KY River	4,548	98.1	0.9	0.5	0.0	0.2	0.4	0.0
Lake Cumb	8,162	92.1	1.6	5.3	0.0	0.3	0.6	0.0
Laurel	1,918	98.3	0.4	0.9	0.2	0.3	0.0	0.0
Lawrence	650	97.8	0.2	0.5	0.0	0.0	1.5	0.0
Lewis	594	98.0	0.0	0.7	0.3	0.3	0.7	0.0
Lincoln	912	94.4	2.6	2.7	0.0	0.2	0.0	0.0
Lincoln Tr	8,156	80.5	10.2	5.9	0.1	0.5	2.8	0.0
Little San	1,775	94.0	0.4	5.1	0.1	0.2	0.3	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky

Page: 3
Run Date: 7 / 30 / 07

Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Madison	2,073	87.5	6.2	3.6	0.1	1.0	1.6	0.0
Magoffin	797	98.9	0.0	1.0	0.0	0.0	0.1	0.0
Marshall	894	98.4	0.8	0.3	0.0	0.2	0.2	0.0
Martin	683	99.3	0.1	0.3	0.0	0.0	0.3	0.0
Mercer	696	87.5	3.6	7.6	0.0	0.4	0.9	0.0
Monroe	429	86.2	4.9	8.6	0.0	0.0	0.2	0.0
Montgomery	1,092	91.5	0.9	5.4	0.0	0.1	2.1	0.0
Muhlenberg	1,066	92.3	3.8	1.5	0.0	0.2	2.3	0.0
N Central	2,150	65.4	3.8	27.8	0.0	2.7	0.3	0.0
N KY	8,949	81.8	6.9	10.1	0.0	0.7	0.4	0.0
Oldham	799	70.6	4.6	23.8	0.0	0.1	0.9	0.0
Park DuV	1,717	11.6	68.4	18.8	0.1	0.8	0.3	0.0
Pennyrile	2,674	90.5	6.1	2.1	0.0	0.5	0.8	0.0
Pike	2,279	98.6	0.8	0.4	0.1	0.0	0.0	0.0
Powell	658	97.6	0.5	1.8	0.0	0.2	0.0	0.0
Purchase	4,312	66.3	20.7	9.2	0.1	0.6	3.1	0.0
Todd	503	66.0	13.1	11.9	0.0	6.2	2.8	0.0
WEDCO	2,008	85.2	3.8	7.3	0.1	2.8	0.7	0.0
Whitley	2,332	98.6	0.7	0.5	0.0	0.2	0.0	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 4F
2006 Pediatric Nutrition Surveillance ⁽¹⁾

Page: 4
Run Date: 7 / 30 / 07

Kentucky
Comparison of Racial and Ethnic Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution by Local Agency								
Local Agency	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Woodford	606	59.9	9.2	24.3	0.2	3.6	2.8	0.0
Kentucky	135,754	78.7	11.7	7.2	0.1	0.9	1.3	0.0
Nation (Prior Year)	7,117,562	32.3	18.5	37.7	1.0	2.5	1.0	7.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 7 / 30 / 07

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
3 Rivers	1,708	38.0	20.3	41.7
Allen	682	35.5	19.4	45.2
Anderson	466	38.8	20.6	40.6
Barren Riv	7,540	41.6	19.3	39.2
Bourbon	571	42.6	20.8	36.6
Boyd	1,521	42.3	19.3	38.5
Boyle	750	42.8	17.9	39.3
Bracken	296	40.9	21.3	37.8
Breathitt	718	35.0	17.1	47.9
Breckinrid	622	38.1	18.3	43.6
Buffalo Tr	757	39.0	21.3	39.8
Bullitt	1,416	46.0	18.5	35.5
C & Y	1,404	48.6	16.2	35.1
Christian	4,631	41.3	18.9	39.8
Clark	1,047	42.9	16.5	40.6
Cumb Val	5,887	33.3	17.9	48.9
Estill	656	34.9	19.5	45.6
Fayette	6,463	45.4	17.7	36.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 7 / 30 / 07

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Fleming	594	28.8	19.9	51.3
Floyd	1,988	34.6	18.6	46.8
Franklin	1,248	48.1	19.5	32.5
Garrard	629	38.5	16.9	44.7
Gateway	2,228	35.9	17.7	46.4
Green Riv	7,149	40.5	18.3	41.2
Greenup	1,072	37.8	20.0	42.3
Hopkins	1,639	43.6	17.4	39.0
Jefferson	14,513	47.1	18.5	34.5
Jessamine	1,448	42.8	17.3	39.9
Johnson	1,083	34.0	17.9	48.1
Knox	1,596	36.0	17.3	46.7
KY River	4,548	36.3	18.3	45.4
Lake Cumb	8,162	35.8	19.6	44.6
Laurel	1,918	41.9	18.1	40.0
Lawrence	650	35.7	22.6	41.7
Lewis	594	34.3	20.9	44.8
Lincoln	912	38.3	19.7	42.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 7 / 30 / 07

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Lincoln Tr	8,156	39.8	18.7	41.5
Little San	1,775	33.6	19.6	46.8
Madison	2,073	43.5	18.7	37.8
Magoffin	797	32.0	18.7	49.3
Marshall	894	34.2	20.4	45.4
Martin	683	32.1	20.1	47.9
Mercer	696	35.2	19.4	45.4
Monroe	429	32.2	21.7	46.2
Montgomery	1,092	39.3	17.5	43.2
Muhlenberg	1,066	40.1	19.0	40.9
N Central	2,150	40.5	19.3	40.2
N KY	8,949	48.9	17.0	34.1
Oldham	799	37.9	19.8	42.3
Park DuV	1,717	41.5	17.1	41.4
Pennyrile	2,674	36.2	21.0	42.8
Pike	2,279	41.8	18.3	39.9
Powell	658	32.5	18.4	49.1
Purchase	4,312	36.2	20.2	43.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5F
2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Age Distribution by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 4
Run Date: 7 / 30 / 07

Comparison of Age Distribution by Local Agency				
Local Agency	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Todd	503	35.4	20.9	43.7
WEDCO	2,008	41.5	18.2	40.3
Whitley	2,332	36.0	19.5	44.5
Woodford	606	36.0	19.5	44.6
Kentucky	135,754	40.5	18.7	40.8
Nation (Prior Year)	7,117,562	35.3	22.0	42.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)															
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)				
	Low		High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	409	7.8 (6)	5.4 (22)		1,643	9.2 (47)	5.4 (31)	14.7 (22)		698	19.8 (47)	18.5 (31)		1,164	14.2 (37)
Allen	173	7.5 (3)	5.2 (18)		664	6.9 (33)	4.5 (21)	14.5 (19)		294	17.3 (19)	18.4 (29)		344	16.6 (48)
Anderson	119	12.6 (45)	5.9 (32)		451	8.0 (38)	6.2 (41)	15.7 (32)		187	19.8 (47)	16.0 (18)		309	12.3 (34)
Barren Riv	1,955	9.2 (17)	7.5 (48)		7,281	5.0 (9)	4.8 (23)	14.2 (16)		2,859	18.7 (38)	17.7 (27)		4,635	15.0 (42)
Bourbon	171	11.7 (40)	2.9 (2)		537	7.6 (36)	4.8 (23)	19.6 (52)		203	17.7 (26)	20.2 (41)		371	23.7 (55)
Boyd	436	8.5 (8)	4.4 (11)		1,452	5.5 (11)	9.3 (56)	11.0 (3)		568	19.7 (45)	15.1 (10)		946	18.1 (52)
Boyle	211	10.9 (38)	6.2 (35)		704	3.8 (2)	2.3 (4)	17.0 (39)		282	22.3 (57)	20.2 (41)		429	10.0 (27)
Bracken	81	* *	* *		283	6.4 (23)	8.5 (55)	19.1 (48)		102	20.6 (51)	25.5 (56)		186	4.8 (1)
Breathitt	166	13.3 (47)	5.4 (22)		667	6.4 (23)	3.9 (16)	20.5 (53)		326	13.2 (4)	20.6 (44)		475	6.3 (7)
Breckinrid	141	9.2 (17)	5.0 (14)		599	9.5 (50)	3.0 (6)	15.0 (26)		259	14.3 (7)	16.6 (23)		442	8.6 (21)
Buffalo Tr	205	13.7 (52)	8.3 (51)		712	9.4 (48)	6.2 (41)	16.6 (36)		288	18.1 (29)	15.6 (14)		464	14.2 (37)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 2
Run Date: 7 / 30 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)												
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	435	11.0 (39)	6.9 (44)	1,357	6.2 (19)	4.1 (17)	14.9 (25)	502	13.7 (5)	13.9 (5)	766	15.5 (44)
C & Y	441	13.6 (50)	3.6 (8)	1,305	8.8 (42)	4.1 (17)	17.5 (42)	488	18.0 (27)	22.5 (49)	574	28.7 (58)
Christian	1,059	10.6 (35)	7.8 (49)	4,422	4.6 (5)	7.3 (49)	10.1 (2)	1,824	11.3 (1)	8.9 (1)	2,984	23.8 (56)
Clark	295	10.5 (34)	5.1 (17)	1,000	5.5 (11)	4.5 (21)	16.1 (33)	405	18.3 (32)	22.5 (49)	633	15.5 (44)
Cumb Val	1,305	9.7 (25)	6.7 (40)	5,631	6.9 (33)	6.1 (38)	17.9 (46)	2,761	18.4 (35)	21.0 (45)	3,964	5.8 (4)
Estill	143	11.9 (43)	7.0 (45)	632	6.8 (32)	3.8 (14)	12.7 (6)	293	17.4 (22)	19.5 (38)	454	4.8 (1)
Fayette	1,913	10.2 (32)	5.4 (22)	6,165	7.6 (36)	5.5 (33)	14.1 (15)	2,325	20.6 (51)	20.3 (43)	3,251	24.0 (57)
Fleming	122	16.4 (56)	11.5 (56)	571	6.7 (31)	6.5 (45)	16.1 (33)	297	16.5 (12)	14.8 (9)	442	13.1 (35)
Floyd	487	14.2 (53)	4.3 (10)	1,883	5.7 (15)	6.9 (46)	13.4 (11)	888	12.5 (2)	15.8 (16)	1,329	8.7 (22)
Franklin	379	10.0 (29)	5.5 (27)	1,203	9.1 (45)	5.8 (35)	17.0 (39)	396	24.5 (58)	22.5 (49)	720	17.9 (51)
Garrard	153	11.8 (42)	5.9 (32)	596	8.7 (41)	4.4 (20)	15.3 (27)	278	17.3 (19)	19.8 (40)	394	14.7 (41)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 3
Run Date: 7 / 30 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under-weight (7)	Over-weight (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gateway	517	8.5 (8)	10.3 (55)	2,130	5.8 (16)	4.9 (27)	14.6 (21)	990	17.5 (23)	19.2 (35)		1,365	10.4 (29)
Green Riv	1,851	9.6 (23)	4.8 (12)	6,894	9.1 (45)	3.5 (10)	15.6 (31)	2,882	18.0 (27)	18.3 (28)		4,562	8.8 (23)
Greenup	258	8.5 (8)	5.0 (14)	1,042	4.7 (7)	10.0 (58)	13.1 (9)	448	16.5 (12)	18.8 (33)		657	6.1 (5)
Hopkins	419	9.8 (27)	5.5 (27)	1,569	10.7 (55)	2.2 (3)	17.5 (42)	619	21.2 (53)	19.4 (36)		1,094	7.8 (13)
Jefferson	4,319	11.7 (40)	6.3 (36)	13,648	6.4 (23)	5.7 (34)	14.2 (16)	4,880	16.1 (11)	14.1 (7)		8,399	14.4 (40)
Jessamine	400	7.0 (1)	6.8 (41)	1,385	5.6 (14)	6.2 (41)	10.0 (1)	555	16.6 (15)	11.9 (3)		845	18.1 (52)
Johnson	257	12.1 (44)	5.4 (22)	1,036	6.2 (19)	7.1 (47)	16.8 (37)	503	18.7 (38)	17.3 (26)		748	20.9 (54)
Knox	371	9.2 (17)	7.0 (45)	1,487	4.6 (5)	5.4 (31)	17.6 (45)	726	19.8 (47)	23.6 (53)		1,043	6.8 (9)
KY River	1,007	10.6 (35)	4.8 (12)	4,284	10.1 (52)	3.1 (7)	22.9 (56)	2,003	18.9 (40)	21.9 (48)		3,202	8.9 (25)
Lake Cumb	1,883	9.1 (16)	5.6 (29)	7,863	6.4 (23)	4.8 (23)	12.8 (7)	3,534	19.1 (41)	16.6 (23)		5,326	7.7 (12)
Laurel	505	10.3 (33)	9.3 (53)	1,839	5.4 (10)	7.8 (54)	16.2 (35)	728	22.0 (55)	21.2 (47)		1,142	8.4 (18)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 4
Run Date: 7 / 30 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)														
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lawrence	154	14.9 (54)	3.2 (4)		609	8.9 (44)	7.4 (50)	18.2 (47)		261	16.5 (12)	23.4 (52)	424	9.4 (26)
Lewis	133	9.0 (15)	3.0 (3)		564	6.6 (28)	7.4 (50)	14.5 (19)		252	18.3 (32)	18.7 (32)	312	8.3 (17)
Lincoln	218	10.6 (35)	6.0 (34)		869	6.1 (17)	6.0 (36)	17.5 (42)		366	19.7 (45)	18.9 (34)	611	8.2 (14)
Lincoln Tr	2,013	10.1 (30)	5.8 (31)		7,883	9.4 (48)	3.7 (11)	15.4 (28)		3,300	17.6 (24)	15.2 (12)	5,441	8.8 (23)
Little San	398	9.3 (20)	3.3 (6)		1,703	4.0 (3)	7.2 (48)	14.7 (22)		803	18.4 (35)	19.4 (36)	1,167	17.0 (49)
Madison	593	9.9 (28)	6.6 (39)		2,005	5.5 (11)	7.5 (52)	11.3 (4)		767	19.4 (42)	16.7 (25)	1,329	8.5 (19)
Magoffin	171	13.5 (49)	3.5 (7)		758	10.2 (54)	3.7 (11)	23.7 (57)		380	16.6 (15)	26.8 (57)	488	10.9 (32)
Marshall	193	7.8 (6)	5.2 (18)		836	11.7 (57)	6.1 (38)	13.5 (12)		390	13.8 (6)	10.5 (2)	535	12.0 (33)
Martin	162	8.6 (11)	5.6 (29)		658	8.5 (39)	6.1 (38)	21.3 (55)		314	18.2 (31)	23.9 (54)	499	6.8 (9)
Mercer	161	7.5 (3)	5.0 (14)		675	9.6 (51)	2.7 (5)	14.2 (16)		303	17.2 (18)	16.2 (21)	498	8.2 (14)
Monroe	90	* *	* *		421	6.2 (19)	5.2 (30)	20.7 (54)		193	18.1 (29)	26.9 (58)	279	6.5 (8)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 5
Run Date: 7 / 30 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	276	10.1 (30)	8.7 (52)	1,055	8.8 (42)	2.1 (2)	15.5 (29)	468	16.7 (17)	18.4 (29)		764	8.5 (19)
Muhlenberg	285	9.5 (22)	6.3 (36)	1,036	4.9 (8)	3.7 (11)	12.9 (8)	431	15.3 (10)	15.1 (10)		621	8.2 (14)
N Central	574	9.4 (21)	7.0 (45)	2,017	13.5 (58)	3.8 (14)	24.5 (58)	813	21.2 (53)	24.2 (55)		1,346	15.8 (47)
N KY	2,903	9.6 (23)	6.8 (41)	8,367	6.4 (23)	6.0 (36)	13.3 (10)	2,958	18.3 (32)	16.1 (19)		4,646	15.6 (46)
Oldham	187	7.5 (3)	3.2 (4)	764	11.0 (56)	1.0 (1)	19.1 (48)	324	18.5 (37)	15.7 (15)		467	10.3 (28)
Park DuV	445	15.5 (55)	5.2 (18)	1,618	7.5 (35)	6.4 (44)	13.5 (12)	682	17.6 (24)	16.1 (19)		1,141	13.9 (36)
Pennyrile	652	8.7 (12)	7.8 (49)	2,546	6.6 (28)	4.3 (19)	15.5 (29)	1,110	20.2 (50)	12.7 (4)		1,799	7.6 (11)
Pike	601	13.6 (50)	5.2 (18)	2,162	2.2 (1)	9.3 (56)	12.6 (5)	853	14.8 (9)	15.5 (13)		1,388	6.1 (5)
Powell	141	7.1 (2)	6.4 (38)	638	4.1 (4)	3.3 (8)	13.9 (14)	308	22.1 (56)	19.5 (38)		478	5.0 (3)
Purchase	1,003	8.8 (13)	6.8 (41)	4,040	6.6 (28)	5.0 (28)	19.1 (48)	1,840	19.4 (42)	16.5 (22)		2,900	14.3 (39)
Todd	113	9.7 (25)	2.7 (1)	479	8.6 (40)	4.8 (23)	19.4 (51)	217	19.4 (42)	14.7 (8)		359	15.0 (42)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 6
Run Date: 7 / 30 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)														
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)		Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
WEDCO	528	13.4 (48)	4.0 (9)		1,885	6.1 (17)	5.0 (28)	17.1 (41)		774	14.6 (8)	15.8 (16)	1,231	10.6 (30)
Whitley	549	8.9 (14)	9.3 (53)		2,231	6.2 (19)	7.5 (52)	16.8 (37)		1,014	17.3 (19)	21.0 (45)	1,654	10.6 (30)
Woodford	130	13.1 (46)	5.4 (22)		587	10.1 (52)	3.4 (9)	14.8 (24)		265	12.8 (3)	14.0 (6)	365	17.0 (49)
Kentucky	35,259	10.2	6.1		129,341	7.0	5.3	15.3		53,777	17.9	17.4	84,401	12.3
Nation (Prior Year)	1,641,264	9.4	6.6		6,709,486	6.4	4.8	13.9		2,869,075	16.1	14.7	4,381,087	13.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 1
Run Date: 7 / 30 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
3 Rivers	142	100. (1)	53	* *	63	* *	0	* *	0	* *	766	99.6 (39)	1,708	49.6 (42)
Allen	78	* *	24	* *	47	* *	0	* *	0	* *	326	90.2 (57)	682	48.5 (40)
Anderson	62	* *	21	* *	20	* *	0	* *	0	* *	209	100. (1)	466	25.3 (15)
Barren Riv	745	100. (1)	242	23.6 (8)	284	10.6 (12)	0	* *	0	* *	3,168	97.9 (47)	7,540	31.8 (21)
Bourbon	61	* *	16	* *	23	* *	0	* *	0	* *	221	100. (1)	571	5.8 (8)
Boyd	150	100. (1)	37	* *	58	* *	0	* *	0	* *	621	100. (1)	1,521	31.8 (21)
Boyle	42	* *	10	* *	16	* *	0	* *	0	* *	310	100. (1)	750	32.9 (25)
Bracken	24	* *	6	* *	15	* *	0	* *	0	* *	122	83.6 (58)	296	46.3 (35)
Breathitt	19	* *	12	* *	12	* *	0	* *	0	* *	367	94.3 (52)	718	66.2 (52)
Breckinrid	46	* *	22	* *	23	* *	0	* *	0	* *	290	93.1 (54)	622	1.9 (6)
Buffalo Tr	49	* *	20	* *	34	* *	0	* *	0	* *	325	99.7 (37)	757	52.4 (47)
Bullitt	149	100. (1)	39	* *	75	* *	0	* *	0	* *	533	100. (1)	1,416	50.4 (43)
C & Y	151	100. (1)	38	* *	36	* *	0	* *	0	* *	525	100. (1)	1,404	0.0 (1)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 2
Run Date: 7 / 30 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)			Smoking in Household														
Local Agency	Number		% Ever Breastfed		Number		% Breastfed At Least 6 Months		Number		% Breastfed At Least 12 Months		Number		% Breastfed At Least 3 Months		Number		% Breastfed At Least 6 Months		Number		% Breastfed At Least 6 Months		Number		% Breastfed At Least 6 Months	
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Christian	402	100.	(1)	181	32.6	(2)	148	32.4	(1)	0	*	*	0	*	*	1,958	90.3	(56)	4,631	18.3	(10)							
Clark	99	*	*	38	*	*	46	*	*	0	*	*	0	*	*	456	100.	(1)	1,047	3.5	(7)							
Cumb Val	281	100.	(1)	88	*	*	142	13.4	(8)	0	*	*	0	*	*	3,062	97.8	(48)	5,887	34.8	(26)							
Estill	44	*	*	14	*	*	22	*	*	0	*	*	0	*	*	320	100.	(1)	656	32.6	(23)							
Fayette	1,029	100.	(1)	341	31.7	(3)	403	20.8	(2)	0	*	*	0	*	*	2,568	95.6	(51)	6,463	0.1	(3)							
Fleming	36	*	*	10	*	*	17	*	*	0	*	*	0	*	*	329	100.	(1)	594	38.7	(28)							
Floyd	104	100.	(1)	27	*	*	50	*	*	0	*	*	0	*	*	993	99.3	(42)	1,988	57.8	(49)							
Franklin	159	100.	(1)	52	*	*	63	*	*	0	*	*	0	*	*	442	97.5	(50)	1,248	66.8	(53)							
Garrard	59	*	*	16	*	*	20	*	*	0	*	*	0	*	*	303	100.	(1)	629	44.4	(34)							
Gateway	139	100.	(1)	41	*	*	52	*	*	0	*	*	0	*	*	1,095	99.9	(33)	2,228	29.5	(17)							
Green Riv	547	100.	(1)	180	19.4	(9)	228	10.5	(13)	0	*	*	0	*	*	3,136	99.6	(39)	7,149	41.3	(32)							
Greenup	84	*	*	26	*	*	33	*	*	0	*	*	0	*	*	483	100.	(1)	1,072	32.6	(23)							
Hopkins	152	100.	(1)	45	*	*	44	*	*	0	*	*	0	*	*	684	100.	(1)	1,639	51.4	(45)							

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 3
Run Date: 7 / 30 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)			Smoking in Household		
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%		
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Jefferson	1,844	100. (1)	553	36.5 (1)	692	20.7 (3)	0	* *	0	* *	5,356	100. (1)	14,513	1.8 (5)		
Jessamine	150	100. (1)	63	* *	70	* *	0	* *	0	* *	609	98.4 (45)	1,448	41.1 (31)		
Johnson	84	* *	25	* *	39	* *	0	* *	0	* *	549	100. (1)	1,083	46.8 (36)		
Knox	74	* *	24	* *	27	* *	0	* *	0	* *	800	100. (1)	1,596	0.3 (4)		
KY River	230	100. (1)	97	* *	104	14.4 (7)	0	* *	0	* *	2,227	100. (1)	4,548	24.3 (14)		
Lake Cumb	546	100. (1)	193	25.4 (5)	277	11.2 (10)	0	* *	0	* *	3,899	100. (1)	8,162	42.7 (33)		
Laurel	155	100. (1)	47	* *	52	* *	0	* *	0	* *	809	98.6 (44)	1,918	69.7 (56)		
Lawrence	47	* *	27	* *	24	* *	0	* *	0	* *	298	98.0 (46)	650	19.7 (12)		
Lewis	41	* *	21	* *	31	* *	0	* *	0	* *	281	100. (1)	594	36.0 (27)		
Lincoln	57	* *	26	* *	33	* *	0	* *	0	* *	414	100. (1)	912	47.0 (38)		
Lincoln Tr	706	100. (1)	269	26.8 (4)	345	18.6 (4)	0	* *	0	* *	3,588	99.9 (33)	8,156	50.6 (44)		
Little San	123	100. (1)	46	* *	72	* *	0	* *	0	* *	892	99.4 (41)	1,775	47.4 (39)		
Madison	194	100. (1)	47	* *	75	* *	0	* *	0	* *	842	100. (1)	2,073	59.2 (50)		

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency ^(4,5)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2006 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 5
Run Date: 7 / 30 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)			Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)	Smoking in Household
Local Agency	Number % Ever Breastfed (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % Breastfed At Least 12 Months (Rank)	Number % Breastfed At Least 3 Months (Rank)	Number % Breastfed At Least 6 Months (Rank)	Number % (Rank)	Number % (Rank)
Powell	41 * *	16 * *	22 * *	0 * *	0 * *	334 92.2 (55)	658 56.2 (48)
Purchase	381 100. (1)	122 23.8 (7)	195 16.4 (6)	0 * *	0 * *	1,998 100. (1)	4,312 30.6 (19)
Todd	41 * *	23 * *	33 * *	0 * *	0 * *	238 100. (1)	503 25.4 (16)
WEDCO	214 100. (1)	92 * *	100 11.0 (11)	0 * *	0 * *	856 93.9 (53)	2,008 49.4 (41)
Whitley	122 100. (1)	45 * *	62 * *	0 * *	0 * *	1,127 100. (1)	2,332 20.2 (13)
Woodford	55 * *	26 * *	38 * *	0 * *	0 * *	289 100. (1)	606 19.3 (11)
Kentucky	12,119 100.	3,980 27.5	5,142 16.2	0 *	0 *	59,198 98.8	135,754 32.7
Nation (Prior Year)	1,515,954 58.5	751,259 24.3	869,342 17.7	101,887 13.6	136,891 6.8	343,170 64.7	1,120,034 16.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 7 / 30 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
3 Rivers	1,400	7.9 (3)	6.0 (19)	4,888	8.8 (45)	5.0 (32)	15.3 (20)	2,045	19.2 (39)	18.2 (31)		3,383	11.3 (29)
Allen	574	9.1 (14)	4.4 (5)	2,010	7.0 (25)	3.9 (18)	15.0 (15)	912	20.4 (50)	16.9 (21)		1,103	11.5 (32)
Anderson	390	13.3 (56)	6.4 (24)	1,273	7.9 (36)	5.4 (40)	17.0 (35)	507	21.5 (56)	19.1 (36)		877	11.3 (29)
Barren Riv	6,687	9.0 (12)	7.8 (48)	21,537	5.5 (10)	4.3 (23)	15.7 (25)	8,389	19.7 (47)	18.5 (35)		13,429	14.6 (43)
Bourbon	510	14.5 (57)	5.3 (11)	1,551	8.3 (42)	3.7 (15)	20.1 (52)	627	19.0 (36)	20.6 (43)		1,095	25.0 (58)
Boyd	1,457	11.2 (49)	5.6 (14)	4,499	6.1 (15)	8.3 (58)	13.3 (6)	1,729	17.1 (17)	15.8 (15)		2,883	16.3 (49)
Boyle	669	10.0 (33)	6.6 (32)	2,104	4.9 (7)	3.7 (15)	17.5 (38)	848	20.5 (51)	18.2 (31)		1,286	9.5 (21)
Bracken	255	4.7 (1)	5.9 (18)	853	5.4 (9)	6.8 (53)	20.8 (54)	327	19.3 (42)	28.4 (58)		575	4.3 (1)
Breathitt	503	8.0 (4)	8.2 (54)	2,005	7.0 (25)	3.1 (9)	21.6 (55)	980	15.7 (9)	21.4 (49)		1,448	6.8 (6)
Breckinrid	508	8.9 (9)	7.9 (50)	1,859	8.3 (42)	2.6 (5)	15.1 (17)	792	16.3 (11)	15.2 (11)		1,336	7.4 (9)
Buffalo Tr	678	9.6 (27)	9.4 (57)	2,087	8.8 (45)	6.4 (49)	17.5 (38)	850	17.8 (23)	16.4 (19)		1,299	12.1 (35)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 7 / 30 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)														
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)			
	Low		High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Bullitt	1,384	10.2 (37)	7.5 (45)		4,045	7.0 (25)	3.8 (17)	14.9 (14)		1,508	14.9 (7)	14.3 (5)	2,342	17.3 (50)
C & Y	1,195	12.4 (53)	3.8 (2)		3,829	8.0 (38)	5.0 (32)	18.3 (43)		1,533	19.2 (39)	20.5 (41)	1,060	23.0 (56)
Christian	3,600	9.6 (27)	6.9 (41)		14,141	4.5 (3)	6.9 (54)	10.3 (2)		6,110	11.7 (1)	8.3 (1)	9,589	23.2 (57)
Clark	944	9.5 (26)	5.5 (13)		2,893	5.8 (11)	3.6 (13)	15.2 (19)		1,132	18.7 (33)	20.1 (39)	1,846	14.7 (44)
Cumb Val	4,709	10.1 (35)	6.7 (36)		18,017	7.8 (35)	5.8 (44)	19.1 (47)		8,648	18.6 (31)	20.5 (41)	12,425	5.9 (3)
Estill	510	9.8 (31)	6.5 (29)		1,996	8.8 (45)	2.9 (7)	16.9 (33)		890	19.1 (37)	21.2 (46)	1,442	8.0 (12)
Fayette	5,703	10.2 (37)	6.4 (24)		17,602	8.0 (38)	4.5 (26)	16.2 (28)		6,836	20.9 (54)	20.7 (44)	9,867	20.7 (54)
Fleming	448	11.2 (49)	9.4 (57)		1,798	6.2 (17)	5.2 (38)	16.9 (33)		886	17.0 (15)	15.9 (17)	1,346	14.9 (45)
Floyd	1,681	12.7 (54)	4.9 (7)		5,968	5.9 (13)	6.3 (48)	12.5 (4)		2,744	13.6 (5)	14.0 (4)	4,191	7.9 (11)
Franklin	1,269	9.6 (27)	6.1 (20)		3,587	7.4 (32)	5.5 (42)	17.4 (37)		1,230	21.1 (55)	21.0 (45)	2,238	19.7 (53)
Garrard	447	12.1 (51)	6.3 (22)		1,758	8.2 (40)	4.0 (19)	16.1 (27)		829	18.3 (27)	17.4 (22)	1,139	17.9 (52)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Gateway	1,666	8.9 (9)	10.5 (59)	6,346	6.1 (15)	4.4 (24)	15.4 (22)	2,940	17.7 (22)	18.3 (34)		4,178	9.8 (24)
Green Riv	6,195	9.7 (30)	5.4 (12)	21,069	9.5 (51)	3.2 (10)	17.5 (38)	8,733	18.9 (35)	19.8 (38)		13,485	8.3 (14)
Greenup	844	9.4 (25)	6.5 (29)	3,136	4.6 (6)	7.4 (56)	15.1 (17)	1,393	18.0 (25)	18.2 (31)		1,982	6.3 (4)
Hopkins	1,525	9.2 (19)	6.4 (24)	4,849	11.4 (56)	2.4 (2)	18.2 (42)	1,934	20.7 (52)	19.4 (37)		3,279	8.9 (17)
Jefferson	13,113	10.8 (44)	6.5 (29)	39,550	6.7 (21)	5.0 (32)	15.3 (20)	14,757	16.2 (10)	14.5 (7)		25,229	13.2 (37)
Jessamine	1,224	10.2 (37)	7.6 (47)	3,971	6.3 (18)	5.0 (32)	11.0 (3)	1,589	15.2 (8)	12.6 (3)		2,518	16.0 (47)
Johnson	937	9.9 (32)	5.2 (10)	3,295	5.9 (13)	5.9 (45)	16.3 (30)	1,542	17.8 (23)	15.8 (15)		2,284	20.7 (54)
Knox	1,227	9.1 (14)	7.5 (45)	4,635	4.9 (7)	4.9 (30)	18.4 (44)	2,172	18.8 (34)	23.9 (54)		3,154	12.1 (35)
KY River	3,869	10.6 (42)	5.7 (16)	13,873	9.7 (53)	2.6 (5)	25.0 (58)	6,339	19.6 (45)	22.4 (53)		10,079	9.2 (19)
Lake Cumb	6,756	9.1 (14)	6.6 (32)	24,365	6.6 (19)	4.4 (24)	14.4 (9)	10,797	18.4 (28)	16.8 (20)		15,738	8.2 (13)
Laurel	1,756	9.2 (19)	8.2 (54)	5,643	6.8 (23)	6.4 (49)	19.3 (48)	2,243	21.5 (56)	24.0 (55)		3,497	9.9 (26)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 4
Run Date: 7 / 30 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)													
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lawrence	589	17.1 (59)	2.9 (1)	1,993	10.1 (54)	6.4 (49)	18.8 (46)	872	19.5 (44)	21.6 (50)		1,337	8.7 (16)
Lewis	538	9.1 (14)	8.0 (51)	1,753	6.6 (19)	5.4 (40)	14.4 (9)	771	17.3 (19)	17.5 (24)		989	9.5 (21)
Lincoln	757	9.1 (14)	7.3 (43)	2,665	7.1 (29)	5.6 (43)	19.9 (51)	1,164	20.3 (49)	21.2 (46)		1,901	7.8 (10)
Lincoln Tr	6,504	9.2 (19)	6.1 (20)	23,854	9.5 (51)	3.4 (11)	16.2 (28)	10,238	18.5 (29)	15.2 (11)		16,809	9.1 (18)
Little San	1,379	9.2 (19)	4.9 (7)	5,247	4.5 (3)	6.6 (52)	14.6 (11)	2,485	17.6 (21)	18.1 (30)		3,490	13.6 (39)
Madison	1,851	10.5 (41)	7.0 (42)	5,851	5.8 (11)	7.0 (55)	12.5 (4)	2,291	19.2 (39)	17.7 (25)		3,931	9.5 (21)
Magoffin	618	12.3 (52)	6.6 (32)	2,372	9.1 (49)	3.6 (13)	24.5 (57)	1,167	20.1 (48)	25.6 (57)		1,526	13.4 (38)
Marshall	755	8.2 (5)	8.1 (52)	2,665	11.4 (56)	6.1 (47)	14.7 (12)	1,171	12.6 (2)	10.9 (2)		1,746	13.7 (40)
Martin	588	8.5 (8)	5.6 (14)	2,113	8.2 (40)	4.1 (21)	22.6 (56)	985	18.6 (31)	22.2 (52)		1,568	7.3 (8)
Mercer	547	8.2 (5)	5.7 (16)	2,070	9.4 (50)	2.9 (7)	14.3 (8)	913	16.3 (11)	15.6 (13)		1,481	7.0 (7)
Monroe	367	7.1 (2)	6.3 (22)	1,321	7.0 (25)	4.5 (26)	17.9 (41)	573	18.5 (29)	21.3 (48)		845	9.3 (20)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance ⁽¹⁾
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 7 / 30 / 07

Comparison of Growth and Anemia Indicators by Local Agency ^(3,4)															
Local Agency	Birthweight ⁽⁵⁾			Height and Weight							Anemia Low Hb/Hct (8)				
	Low		High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)		Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)		Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Montgomery	867	10.8 (44)	8.3 (56)		2,999	8.9 (48)	2.4 (2)	15.5 (24)		1,342	16.5 (13)	15.6 (13)		2,166	9.8 (24)
Muhlenberg	966	10.6 (42)	8.1 (52)		3,135	4.5 (3)	4.0 (19)	13.7 (7)		1,335	17.2 (18)	16.2 (18)		1,877	10.3 (27)
N Central	1,783	8.9 (9)	6.7 (36)		5,908	14.6 (59)	3.4 (11)	27.0 (59)		2,401	20.7 (52)	24.2 (56)		4,031	14.5 (42)
N KY	7,504	10.2 (37)	6.8 (39)		22,789	7.6 (34)	5.2 (38)	15.8 (26)		8,823	18.1 (26)	17.7 (25)		13,859	13.9 (41)
Oldham	622	9.0 (12)	6.6 (32)		2,380	12.6 (58)	1.8 (1)	20.3 (53)		1,038	17.0 (15)	17.7 (25)		1,484	11.3 (29)
Park DuV	1,356	15.3 (58)	4.2 (4)		4,523	8.5 (44)	5.1 (36)	15.4 (22)		1,891	17.5 (20)	17.7 (25)		3,226	11.7 (33)
Pennyrile	2,184	10.0 (33)	7.4 (44)		7,719	7.2 (30)	4.2 (22)	16.6 (31)		3,319	19.3 (42)	15.0 (9)		5,347	11.1 (28)
Pike	1,944	11.0 (46)	6.4 (24)		6,416	2.9 (2)	7.5 (57)	15.0 (15)		2,570	16.5 (13)	18.0 (29)		4,146	6.3 (4)
Powell	536	10.1 (35)	5.0 (9)		2,052	6.7 (21)	2.5 (4)	16.8 (32)		1,015	22.2 (58)	20.2 (40)		1,548	5.2 (2)
Purchase	3,806	9.3 (24)	6.4 (24)		12,864	7.2 (30)	4.6 (28)	19.8 (50)		5,674	19.6 (45)	17.4 (22)		8,815	16.2 (48)
Todd	450	11.1 (48)	3.8 (2)		1,552	10.8 (55)	5.1 (36)	19.4 (49)		690	14.5 (6)	14.5 (7)		1,120	17.6 (51)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 6F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky
Comparison of Growth and Anemia Indicators by Local Agency
Children Aged < 5 Years (2)

Page: 6
Run Date: 7 / 30 / 07

Comparison of Growth and Anemia Indicators by Local Agency (3,4)											
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
WEDCO	1,802	12.8 (55)	4.5 (6)	5,535	6.8 (23)	4.9 (30)	17.0 (35)	2,247	13.3 (4)	15.0 (9)	3,590 11.7 (33)
Whitley	2,024	8.4 (7)	7.8 (48)	7,311	7.9 (36)	5.9 (45)	18.7 (45)	3,214	19.1 (37)	22.1 (51)	5,272 8.5 (15)
Woodford	462	11.0 (46)	6.7 (36)	1,845	7.5 (33)	4.6 (28)	14.8 (13)	806	12.9 (3)	14.4 (6)	1,127 15.4 (46)
Unknown Local Ag.	1,402	9.2 (19)	6.8 (39)	1,234	0.6 (1)	10.3 (59)	3.2 (1)	0	* *	* *	0 * *
Kentucky	116,834	10.0	6.5	391,198	7.4	4.8	16.6	163,786	18.0	17.7	254,853 12.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 1
Run Date: 7 / 30 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)
3 Rivers	1,457	28.6 (26)	660	4.7 (29)	790	2.3 (28)	0	* *	0	* *	766	99.6 (39)	1,733	49.5 (41)
Allen	591	35.2 (11)	247	5.3 (24)	324	3.1 (15)	0	* *	0	* *	326	90.2 (57)	692	48.7 (40)
Anderson	443	37.5 (6)	193	5.7 (21)	205	2.9 (17)	0	* *	0	* *	209	100. (1)	476	26.3 (16)
Barren Riv	6,948	31.7 (17)	2,890	6.0 (19)	3,165	2.1 (32)	0	* *	0	* *	3,168	97.9 (47)	7,664	31.5 (21)
Bourbon	491	30.5 (19)	208	5.3 (24)	276	2.5 (26)	0	* *	0	* *	221	100. (1)	572	6.3 (8)
Boyd	1,406	27.2 (29)	603	4.3 (34)	728	2.9 (17)	0	* *	0	* *	621	100. (1)	1,546	31.8 (22)
Boyle	605	17.0 (54)	257	5.1 (26)	320	3.4 (12)	0	* *	0	* *	310	100. (1)	769	33.0 (25)
Bracken	252	27.0 (32)	116	2.6 (51)	147	2.0 (35)	0	* *	0	* *	122	83.6 (58)	302	45.0 (34)
Breathitt	444	12.4 (58)	238	2.9 (48)	302	1.7 (41)	0	* *	0	* *	367	94.3 (52)	732	66.0 (53)
Breckinrid	534	29.6 (22)	249	7.6 (8)	255	2.7 (23)	0	* *	0	* *	290	93.1 (54)	621	2.1 (6)
Buffalo Tr	638	24.9 (38)	245	3.7 (41)	297	2.0 (35)	0	* *	0	* *	325	99.7 (37)	767	52.4 (47)
Bullitt	1,367	32.4 (13)	555	5.0 (28)	702	2.1 (32)	0	* *	0	* *	533	100. (1)	1,443	50.2 (43)
C & Y	1,205	26.7 (33)	550	3.3 (45)	588	1.4 (49)	0	* *	0	* *	525	100. (1)	1,432	0.1 (2)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 2
Run Date: 7 / 30 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)						≤2 Hours TV Viewing/Day (7)			Smoking in Household		
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%	Number	%		
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)			
Christian	3,840	35.4 (10)	1,950	10.3 (4)	1,861	4.6 (3)	0	* *	0	* *	1,958	90.3 (56)	4,704	18.2 (10)				
Clark	931	31.9 (15)	380	6.8 (12)	431	2.3 (28)	0	* *	0	* *	456	100. (1)	1,058	3.8 (7)				
Cumb Val	4,488	18.4 (52)	2,093	2.8 (50)	2,638	1.7 (41)	0	* *	0	* *	3,062	97.8 (48)	5,944	34.3 (26)				
Estill	550	22.5 (46)	262	2.3 (54)	313	0.3 (58)	0	* *	0	* *	320	100. (1)	666	31.8 (22)				
Fayette	6,551	50.0 (1)	2,781	11.5 (1)	2,934	5.4 (2)	0	* *	0	* *	2,568	95.6 (51)	6,576	0.1 (2)				
Fleming	459	24.4 (40)	223	6.3 (16)	290	4.1 (8)	0	* *	0	* *	329	100. (1)	603	38.6 (28)				
Floyd	1,586	17.8 (53)	734	3.5 (44)	912	1.6 (47)	0	* *	0	* *	993	99.3 (42)	2,006	57.8 (49)				
Franklin	1,304	36.4 (8)	537	5.6 (22)	511	3.3 (13)	0	* *	0	* *	442	97.5 (50)	1,281	65.8 (52)				
Garrard	458	30.1 (21)	209	4.3 (34)	255	2.0 (35)	0	* *	0	* *	303	100. (1)	631	45.0 (34)				
Gateway	1,625	21.7 (48)	733	3.1 (47)	922	1.1 (54)	0	* *	0	* *	1,095	99.9 (33)	2,249	29.1 (17)				
Green Riv	6,130	26.7 (33)	2,793	4.1 (37)	3,110	1.8 (39)	0	* *	0	* *	3,136	99.6 (39)	7,245	41.0 (32)				
Greenup	850	27.2 (29)	373	3.2 (46)	440	1.8 (39)	0	* *	0	* *	483	100. (1)	1,085	32.4 (24)				
Hopkins	1,608	27.6 (27)	626	4.6 (31)	629	1.7 (41)	0	* *	0	* *	684	100. (1)	1,670	51.1 (45)				

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 3
Run Date: 7 / 30 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Jefferson	14,088	38.8 (4)	5,880	10.5 (3)	6,382	4.3 (5)	0	* *	0	* *	5,356	100. (1)	14,858	1.7 (5)
Jessamine	1,293	38.7 (5)	603	11.4 (2)	613	4.6 (3)	0	* *	0	* *	609	98.4 (45)	1,487	40.5 (31)
Johnson	901	25.1 (37)	374	3.7 (41)	473	2.3 (28)	0	* *	0	* *	549	100. (1)	1,093	47.3 (38)
Knox	1,120	16.2 (56)	553	1.1 (58)	701	0.7 (55)	0	* *	0	* *	800	100. (1)	1,611	0.4 (4)
KY River	3,856	18.8 (51)	1,648	4.1 (37)	1,891	1.6 (47)	0	* *	0	* *	2,227	100. (1)	4,574	24.4 (14)
Lake Cumb	6,735	24.4 (40)	3,092	3.7 (41)	3,632	1.7 (41)	0	* *	0	* *	3,899	100. (1)	8,249	42.6 (33)
Laurel	1,735	27.2 (29)	729	4.1 (37)	780	1.7 (41)	0	* *	0	* *	809	98.6 (44)	1,947	68.9 (55)
Lawrence	593	19.2 (50)	270	4.4 (33)	322	1.9 (38)	0	* *	0	* *	298	98.0 (46)	659	19.6 (11)
Lewis	540	27.4 (28)	213	4.7 (29)	271	2.6 (24)	0	* *	0	* *	281	100. (1)	598	35.8 (27)
Lincoln	765	24.3 (42)	367	2.2 (55)	352	0.6 (57)	0	* *	0	* *	414	100. (1)	924	46.8 (37)
Lincoln Tr	6,963	29.4 (24)	3,193	6.0 (19)	3,612	3.5 (10)	0	* *	0	* *	3,588	99.9 (33)	8,297	50.3 (44)
Little San	1,392	29.0 (25)	613	6.7 (13)	765	3.3 (13)	0	* *	0	* *	892	99.4 (41)	1,798	47.4 (39)
Madison	1,789	30.5 (19)	755	8.3 (6)	875	5.7 (1)	0	* *	0	* *	842	100. (1)	2,111	59.1 (50)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 4
Run Date: 7 / 30 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Magoffin	581	16.2 (56)	276	2.5 (52)	342	2.3 (28)	0	* *	0	* *	425	99.8 (35)	804	46.1 (36)
Marshall	786	24.9 (38)	359	6.7 (13)	423	2.6 (24)	0	* *	0	* *	426	100. (1)	908	38.8 (29)
Martin	506	9.5 (59)	215	1.4 (57)	290	0.7 (55)	0	* *	0	* *	352	100. (1)	685	93.3 (58)
Mercer	563	22.0 (47)	281	6.4 (15)	308	4.2 (7)	0	* *	0	* *	334	100. (1)	699	68.2 (54)
Monroe	366	22.7 (44)	163	4.3 (34)	181	1.7 (41)	0	* *	0	* *	217	100. (1)	436	30.3 (19)
Montgomery	845	29.6 (22)	357	5.6 (22)	397	2.5 (26)	0	* *	0	* *	504	99.8 (35)	1,103	51.2 (46)
Muhlenberg	890	25.5 (36)	372	4.6 (31)	470	1.3 (52)	0	* *	0	* *	468	100. (1)	1,079	60.4 (51)
N Central	1,814	26.0 (35)	800	6.3 (16)	988	2.8 (21)	0	* *	0	* *	911	100. (1)	2,164	15.1 (9)
N KY	7,237	32.1 (14)	3,031	6.1 (18)	3,409	2.9 (17)	0	* *	0	* *	3,248	100. (1)	9,163	39.6 (30)
Oldham	738	45.5 (2)	383	9.4 (5)	417	4.3 (5)	0	* *	0	* *	361	99.7 (37)	807	69.0 (56)
Park DuV	1,406	33.5 (12)	602	8.1 (7)	660	3.5 (10)	0	* *	0	* *	744	100. (1)	1,739	0.0 (1)
Pennyrile	2,322	36.0 (9)	1,079	7.2 (10)	1,319	3.9 (9)	0	* *	0	* *	1,212	97.7 (49)	2,706	29.3 (18)
Pike	1,868	16.9 (55)	849	2.9 (48)	909	1.4 (49)	0	* *	0	* *	978	99.1 (43)	2,317	70.3 (57)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Table 7F
2004 - 2006 Pediatric Nutrition Surveillance (1)
Kentucky

Page: 5
Run Date: 7 / 30 / 07

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Local Agency
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
Local Agency	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Powell	545	24.2 (43)	233	3.9 (40)	287	2.1 (32)	0	* *	0	* *	334	92.2 (55)	671	56.3 (48)
Purchase	3,869	31.0 (18)	1,649	5.1 (26)	2,064	2.8 (21)	0	* *	0	* *	1,998	100. (1)	4,349	30.5 (20)
Todd	488	31.8 (16)	213	1.9 (56)	276	1.4 (49)	0	* *	0	* *	238	100. (1)	510	25.1 (15)
WEDCO	1,916	37.1 (7)	774	7.2 (10)	910	2.9 (17)	0	* *	0	* *	856	93.9 (53)	2,039	49.5 (41)
Whitley	1,982	21.1 (49)	910	2.5 (52)	1,066	1.2 (53)	0	* *	0	* *	1,127	100. (1)	2,351	20.2 (13)
Woodford	503	39.6 (3)	267	7.5 (9)	305	3.0 (16)	0	* *	0	* *	289	100. (1)	612	19.6 (11)
Unknown Local Ag.	1,062	22.6 (45)	42	* *	34	* *	0	* *	0	* *	0	* *	2	* *
Kentucky	118,818	30.2	51,850	6.1	59,069	2.8	0	*	0	*	59,198	98.8	137,817	32.5

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.